

## Beli Chan

Sales Manager

M: +86 139 2586 8276

WhatsApp: +86 139 2586 8276

E-mail: Beli@championbagmaker.com

MACHINERY MANUFACTURER OF **LUXURY PAPER BAGS**

CHAMPION MACHINERY MANUFACTURING CO.,LTD.

Add: 42#2and Longyan Industrial Avenue, Humen Town Dongguan City, China PR  
Website: www.paper-bag-machine.com

**CHAMPION**  
MACHINERY



## Coffee Gong

Sales

M: +86 186 8118 5198

WhatsApp: +86 134 2327 5528

E-mail: sales8@championbagmaker.com

MACHINERY MANUFACTURER OF **LUXURY PAPER BAGS**

CHAMPION MACHINERY MANUFACTURING CO.,LTD.

Add: 42#2and Longyan Industrial Avenue, Humen Town Dongguan City, China PR  
Website: www.paper-bag-machine.com

**CHAMPION**  
MACHINERY



## CMFJ-6

Paper Rope Rewinding Machine

纸绳复卷机

## 目录

### Contents

机器名称图片 Machine Name Image	3
机器说明 Machine Description	3
主要技术参数 Technical Data	3
设备占地规划 Machine Floor Plan	4

# CMFJ-6

## Paper Rope Rewinding Machine

### 纸绳复卷机



#### 机器说明 Machine Description

本机主要与纸绳机配套使用，以纸绳机的纸绳卷筒为原料。通过机轴的高速旋转，使纸绳一端快速放出，另一端快速收卷。它不仅可以扩大最终纸绳卷筒的外径和中心内径，还能消除原纸绳卷筒可能出现的打结现象，从而确保纸绳在后续生产中能够稳定运行，大大提高生产效率和质量。

本机具有自动计数功能，可准确停在设定的米数，操作简便。速度可达140米/分钟，大大节省管理和人工成本。

This machine is mainly used with paper rope machine, using paper rope reel of paper rope machine as raw material. Through the high-speed rotation of the machine shaft, the paper rope is quickly released at one end and rewind at the other end. It can not only expand the external diameter of the final paper rope reel and the inner diameter of the center of the paper rope reel, but also eliminate the possible knotting phenomenon in the original paper rope reel. Therefore, it is ensured that the paper rope greatly improves the production efficiency and quality in the subsequent production.

This machine has an automatic counting function, which can accurately stop at the set number of meters, and is simple to operate. The speed can reach 140m/min. The cost is greatly saved in management and labor.



#### 主要技术参数 Technical Data

原绳卷内径	Core Diameter of Raw Rope reel	φ76 mm
最终绳卷内径	Core Diameter of Final Rope reel	φ180mm
最终绳卷外径	Final Rope Reel Diameter	φ400-600mm
生产速度	Max. Production Speed	80-150m/min

输入电源	Power Requirements	380V
机器功率	Total Power	2.2KW
机器重量	Total Weight	Approx.150KG
外形尺寸	Overall Dimension	L1050*W800*H1200mm



设备占地规划 Machine Floor Plan

