

**A0**  
Version

**CHAMPION**  
MACHINERY

MACHINERY MANUFACTURER OF **LUXURY PAPER BAGS**  
CHAMPION MACHINERY MANUFACTURING CO.,LTD.



Tel: +86 139 2586 8276  
WhatsApp: +86 139 2586 8276




E-mail: [Bel@championbagmaker.com](mailto:Bel@championbagmaker.com)  
Website: [www.paper-bag-machine.com](http://www.paper-bag-machine.com)



Add: 42#2and Longyan Industrial Avenue, Humen Town  
Dongguan City, China PR



Single Head 单头



Double Heads 双头

## **CMTR-10**

Paper Rope Twisted Making Machine (Single Head / Double Heads)

纸绳拧绳机

## 目录


### Contents

机器名称图片 Machine Name Image	3
机器说明 Machine Description	3
主要技术参数 Technical Data	3
设备占地规划 Machine Floor Plan	4

# CMTR-10

## Paper Rope Twisted Making Machine (Single Head / Double Heads)

### 纸绳拧绳机



### 机器说明 Machine Description

本机是单工位扭绳机的升级型号，由一个卷筒换成两个纸绳组生产纸绳。它是纸绳生产厂家的首选机器，具有速度快、效率高、节电等特点。它以低克重的窄卷筒为原料，通过机器轴线的高速旋转，将纸带扭曲成绳索，以绳索卷筒的形式储存。直径和紧密度可根据不同的生产要求进行调整。

This machine is the upgraded model of one station twisted rope machine, which produces paper rope by one mold or two paper rope groups. It's paper ropes manufacturers' preferable machine with the features of fast speed, high efficiency and saving electricity. It uses low gram weight narrow reel as raw material, through the high-speed rotation of the machine axis, the paper strip is twisted into a rope and stored in the form of a rope reel. The diameter and the tightness can be adjusted to meet different production requirement.



### 主要技术参数 Technical Data

纸卷内径	Core Diameter of Raw Rope reel	φ76mm(3")
最大放卷直径	Max. Paper Rope Diameter	φ700mm
纸卷宽度	Paper reel Width	20-100mm
原纸克重	Paper Thickness	20-60g/m
纸绳直径	Paper Rope Diameter	φ2.0-5mm
最大绳卷外径	Max. Rope reel Diameter	φ300mm

最大绳卷宽度	Max. Paper Rope width	300mm
生产速度	Production Speed	20-40m/min
输入电源	Power Requirements	220V
机器功率	Total Power	1.5KW
机器重量	Total Weight	Approx. 700KG
外形尺寸	Overall Dimension	L1580*W1440*H930mm



设备占地规划 Machine Floor Plan

